BTLabs

Report #: IF-824-QSA-TR006-BTL2658-46

Page 1 of 2

Title:

Certificate of Analysis (CoA)

Date: 3/30/2026
Date Tested: 3/25/2026
Customer: Finnrick
Testing material: Retatrutide
Lot Number: VSG26NQ
BT Sample ID: 005000039343025
Labeled Peptide Content/Potency: 5 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, white label, silver crimp, dark blue plastic cap.
Labeled as: Retatrutide
Manufacturer: n/a
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	101 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Retatrutide with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: ≥ 98 %	99.2 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 5 mg	5.3 mg (106.1 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	5.3 : 95.69 mg (1:18)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, AS

Digitally signed by Andrea Castro, AS
DN: OU=BTLabs, O=BioTools Inc, CN="Andrea Castro, AS", E=acastro@biotools.us
Reason: I am approving this document
Location:
Date: 2026.04.01 13:13:55-04'00'
Foxit PDF Reader Version: 2025.1.0

Andrea Castro, AS
Scientist-II
BTLabs

Verna Zheng, AS

Digitally signed by Verna Zheng, AS
DN: CN="Verna Zheng, AS", E=vzheng@biotools.us
Reason: I am the author of this document
Location:
Date: 2026.04.01 13:17:15-04'00'
Foxit PDF Reader Version: 2025.1.0

Verna Zheng, AS
Scientist-II
BTLabs

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com

Finnrick Testing Certificate © 2026 Finnrick Analytics LLC and its suppliers, all rights reserved. Unauthorized distribution and modification prohibited.

BTLabs


Report #:
IF-824-QSA-TR006-BTL2658-46

Page 2 of 2


Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: Retatrutide Lot VSG26NQ



HPLC Purity and Potency Assay @ 280 nm: Retatrutide Lot VSG26NQ



Retatrutide Lot VSG26NQ @ 280 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	9.929	270.8

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com

Finnrick Testing Certificate © 2026 Finnrick Analytics LLC and its suppliers, all rights reserved. Unauthorized distribution and modification prohibited.